ERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the US Postal Service with sufficient postage as First Class Mail in an envelope addressed to Mail Stop Missing Parts, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Date: June 18, 2007

By: Chica Hartin

Attorney Docket No. GC832

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

) Group Art Unit: 1652
) Examiner:
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
))

TRANSMITTAL LETTER

Commissioner for Patents P.O Box 1450 Alexandria, VA 22313-1450

Sir:

Enclosed please find the Information Disclosure Statement, Form 1449, and the Cited References for the above-identified patent application.

The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 07-1048 (Docket No. GC832). A duplicate of this paper is enclosed.

Respectfully submitted,

Date: June 18, 2007

Michael F. Kolman

Registration No. 54,234

Genencor International, Inc. 925 Page Mill Road

Palo Alto, CA 94304-1013

Tel: 650-846-7614 Fax: 650-845-6504

CERTIFICATE OF MAILING

June 18, 2007

I hereby certify that this correspondence is being deposited with the US Postal Service with sufficient postage as First Class Mail in an envelope addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date indicated below.

Ву

PATENT

Attorney Docket No. GC832

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of) Group Art Unit: 1652
Bower, et al.) Examiner:
Serial No.: 10/590,956))
Filed: March 25, 2005))
For: Cellulase Fusion Protein and Heterlogous Cellulase Fusion Constract Encoding The Same)))))

INFORMATION DISCLOSURE STATEMENT

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Applicants submit herewith patents, publications or other information (listed on the attached Form PTO-1449 and attached thereto) of which they are aware, that they believe may be material to the examination of this application and in respect of which there may be a duty to disclose in accordance with 37 CFR §1.56.

This Information Disclosure Statement:

(a) accompanies the new patent application submitted herewith. 37 CFR §1.97(a).

GC832-US IDS

Serial No. 10/590,956 Filed: March 25, 2005

	(b) is filed within three months after the filing date of the application or within three months after the date of entry into the national stage of a PCT application as set forth in 37 CFR §1.491.
	(c) \boxtimes as far as is known to the undersigned, is filed before the mailing date of a first Office Action on the merits.
	(d) is filed after the first Office Action and more than three months after the application filing date or PCT national stage date of entry filing but, as far as is known to the undersigned, prior to the mailing date of either a final rejection or a notice of allowance, whichever occurs first, and is accompanied by either the fee (\$180.00) set forth in 37 CFR §1.17(p) or a certification as specified in 37 CFR §1.97(e), as checked below. Authorization to charge Deposit Account No. 07-1048 in the amount of \$180.00 to cover the cost of this Information Disclosure Statement is provided in the Transmittal Letter submitted herewith in duplicate.
	(e) is filed after the mailing date of either a final rejection or a notice of allowance, whichever occurred first, and is accompanied by authorization (in the Transmittal Letter submitted herewith in duplicate) to charge Deposit Account No. 07-1048 the fee (\$180.00) set forth in 37 CFR §1.17(I)(1) and a certification as specified in 37 CFR §1.97(e), as checked below. This document is to be considered as a petition requesting consideration of the Supplemental Information Disclosure Statement.
[If either of b	oxes (d) or (e) is checked above, the following "certification" under 37 CFR
§1.97(e) mus	t be completed.] The undersigned certifies that:
	Each item of information contained in the Information Disclosure Statement was cited in a communication mailed from a foreign patent office in a counterpart foreign application not more than three months prior to the filing of this Information Disclosure Statement.
	No item of information contained in this Information Disclosure Statement was cited in a communication mailed from a foreign patent office in a counterpart foreign application and to the knowledge of the undersigned after making reasonable inquiry, was known to any individual designated in 37 CFR §1.56(c) more than three months prior to the filing of this Information Disclosure Statement.

Serial No. 10/590,956 Filed: March 25, 2005

mose paten	i(s) or pi	ublication(s) which	n are marked witi	i an asterisk (*) on the attache	a Form
PTO-1449 aı	re not su	ipplied because t	hey were previous	sly cited by or submitted to the	Office in a
prior applicat	tion, Ser	ial No	_ filed	, and relied upon in this	
application fo	or an ear	rlier filing date und	der 35 USC 120.		
Those paten	t(s) or pu	ublication(s) which	h are marked with	n an asterisk (**) on the attach	ed Form
PTO-1449 (E	Books n	ot sent) are not s	supplied. Comple	te bibliographic information is	unknown
or unavailabl	e. The	cited publications	are books or refe	erence manuals and are comm	ionly
available. R	eproduc	tion of such public	cations would res	ult in a voluminous submissior	n
A concise ex	planatio	n of relevance of	the items listed o	n PTO-1449 is:	•
	\boxtimes	not given			
		given for each li	sted item		
		given for only no	on-English langua	ige listed item(s)	
	•		a counterpart app	e copy of a Search Report from plication, which refers to the re	-

The Examiner is reminded that a "concise explanation of the relevance" of the submitted prior art "may be nothing more than identification of the particular figure or paragraph of the patent or publication which has some relation to the claimed invention." MPEP §609.

While the information and references disclosed in this Information Disclosure Statement may be "material" pursuant to 37 CFR §1.56, it is not intended to constitute an admission that any patent, publication or other information referred to therein is "prior art" for this invention unless specifically designated as such.

In accordance with 37 CFR §1.97(b), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made or that no other material information as

Serial No. 10/590,956 Filed: March 25, 2005

defined in 37 CFR §1.56(a) exists. It is submitted that the Information Disclosure Statement is in compliance with 37 CFR §1.98 and MPEP §609 and the Examiner is respectfully requested to consider the listed references.

Respectfully submitted,

Dated: June 18, 2007

Michael F. Kolman Reg. No. 54,234

Genencor International, Inc. 925 Page Mill Road Palo Alto, CA 94304-1013

Tel.: (650) 846-7614

Fax: (650) 845-6504

INFORMATION DISCLOSURE CITATION

Attorney Docket No.: GC832-	USCIPE	Serial No.: 10/590,956
Applicant: Bower, et al.	186	
Filing Date: March 25, 2005	JUN 2 1 2007	Group:
Page <u>1</u> of <u>5</u>	A. A.	Date of this Submission: June 18, 2007

US PATENT DOCUMENTS

Examiner's	Document				Sub-	Filing
Initial	Number	Date	Name	Class	Class	Date
	4,435,307		Barbesgaard, P et al.			04-023-81
	5,110,735		Tucker, et al.			05-05-92
	5,246,853		Clarkson, K. et al.			03-29-91
	5,275,944		Himmel, et al.	<u>-</u>		01-27-92
	5,475,101		Ward, et al.			03-11-94
	5,536,655		Thomas, et al.	·		07-15-94
	5,648,263		Schulein, et al.			05-30-95
	5,691,178		Schulein, et al.			06-07-95
	5,712,142		Adney, et al.			01-27-98
	5,776,757		Schulein, et al.			05-30-95
	5,861,271		Fowler, et al.			12-17-93
	5,874,276		Fowler, et al.			05-24-95

FOREIGN PATENT DOCUMENTS

Examiner's	Document	;			Sub-	Translation
Initials	Number	Date	Country	Class	Class	Yes/No
	2,094,826	03-02-82	GB			
	2,095,275	03-02-82	GB			
	WO 0070031	11-23-00	PCT .			
	WO 9105039	04-18-91	PCT			
	WO 92/06209	04-16-92	PCT			
	WO 9315186	08-05-93	PCT			
<u>.</u>	WO 94/28117	12-08-94	PCT			
	WO 9602551	02-01-96	PCT		1 .	

OTHER DOCUMENTS

Examiner's Initials	Author, Title, Date, Pertinent Pages, etc.
	Altschul, S. F., et al., J. Mol. Biol. 215:403-410, 1990. Basic Local Alignment Search Tool
	Altschul, S. F., et al., Nucleic Acids Res. 25:3389-3402, 1997. Gapped BLAST and PSI-BLAST: a New Generation of Protein Database Search Programs.

Attorney Docket No.: GC832-US	Serial No.: 10/590,956
Applicant: Bower, et al.	
Filing Date: March 25, 2005	Group:
Page <u>2</u> of <u>5</u>	Date of this Submission: June 18, 2007

	Altschul, S. F., et al., Nucleic Acids Res. 25:3389-3402, 1997. Gapped BLAST and PSI-BLAST: a New Generation of Protein Database Search Programs.
	Aro, N. J Biol Chem. 2001 Jun 29; 276(26):24309-14. (Epub 2001 Apr 13.) ACEII, a Novel Transciptional Activator Involved In Regulation Of Cellulase And Xylanase
	Aubert J.P. Academic Press pp. 71-86(1988). Scale Up Of Cellulase Production And Utilization
	Baker et al., Appl. Biochem. and Biotechnol. 45/46:245 - 256, 1994
	Baker et al., Appl. Biochem. Biotechnol. 70-72:395 – 403 (1998) . Hydrolysis Of Cellulase Using Ternary Mixture Of Purified Cellulases.
,	Becker et al., Biochem J. (2001) 356:19-30. Engineering Of A Glycosidase Family 7 Cellobiohydrolase To More Alkaline pH Optimum
,	Bennett, J.W. and Lasure, L.L. (eds.) More Gene Manipulations in Fungi. Academic Press, pp. 396-428.
	Bhikhabhai, R. et al., J. Appl. Biochem. 6:336, 1984. Isolation of Cellulolytic Enzymes From Trichoderma Reesei QM 9414
	Boel et al. EMBO J 3:1581-1585 1984. Two different types of intervening sequences in the glucoamylase gene from Aspergillus niger.
	Brigidi, DeRossi, Bertarini, Riccardi and Matteuzzi, (1990), FEMS Microbiol. Lett. 55: 135-138. Genetic Transformation Of Intact Cells Of Bacillus Subtilis By Electroporation
	Brumbauer, A. et al., Bioseparation 7:287-295, 1999. Fractionation of Cellulase and B-glucosidase In A Trichoderma Reesei Culture Liquid By Use Of Two-Phase Partitioning
	Campbell, et al., (1989) Curr. Genet. 16:53-56, 1989, Improved Transformation Efficiency Of Aspergillus Niger Using The Homologous
	Collmer A. and D. B. Wilson, Bio/Technol. 1: 594 - 601, 1983. Cloning And Expression of A Thermomonospora YX Endocellulase Gene In E. Coli
	Deutscher, Methods in Enzymology, vol. 182, no. 57, pp. 779-780, 1990. Rethinking Your Purfication Procedure.
	Ellouz, S. et al., J. Chromatography 396:307, 1987. Analytical Separation Of Trichoderma Reesei Cellulases By Ion-Exchange Fast Protein Liquid Chromatography.
	Filho, et al. Can. J. Microbiol. 42:1-5, 1996. Purification And Characterization of a B-glucosidase From Solid-State Cultures Of Humicola Grisea var. Thermoidea
	Fliess et al., Eur. J. Appl. Microbiol. Biotechnol. 17:314-318, 1983. Characterization of Cellulase by HPLC Separation
	Foreman, P. J. Biol. Chem 278:31988-31997. Transcriptional Regulation Of Biomass-Degrading Enzymes In The Filamentous Fungus Trichoderma Reesei
	Fusarium include Bajar, Podila and Kolattukudy, (1991) Proc. Natl. Acad. Sci. USA 88: 8202-8212
	Goedegebuur et al, (2002) Curr. Genet 41: 89-98. Cloning and Relational Analysis of 15 Novel Fingal Endoglucanases From Family 12 Glycosyl Hydrolase.
	Goldman, G. Curr. Genet. 17:169-174, (1990), Transformation of Trichoderma harzianum by high-voltage electric pulse.
	Goyal et al., Bioresource Technol. 36:37-50, 1991. Characteristics of Fungal Cellulases.
	Hazell, B. W. et al., Lett. Appl. Microbiol. 30:282-286, 2000. Rapid Transformation Of High Cellulase-Producing Mutant Strains Of Trichoderma Reesei By Microprojectile Bombardment.
	Henikoff & Henikoff, <i>Proc. Natl. Acad. Sci. USA</i> 89:10915 (1992). <i>Amino Acid Substitution Matrices From Protein Blocks</i> .

Attorney Docket No.: GC832-US Serial No.: 10/590,956		
Applicant: Bower, et al.	· · · · · · · · · · · · · · · · · · ·	
Filing Date: March 25, 2005	Group:	
Page <u>3</u> of <u>5</u>	Date of this Submission: June 18, 2007	

. .

	Herr et al., Appl. Microbiol. Biotechnol. 5:29-36, 1978. Purification and Properties of An Extracellular B-Glucosidase from Lenzites trabea.
	Hu et al., Mol Cell Biol. vol.11, no. 11, pp. 5792-5799, 1991. Antibodies Specific for the Human Retinoblastoma Protein Identify A Family Related Polypeptides.
	Ilmen, M. et al., Appl. Environ. Microbiol. 63:1298 -1306 (1997). Regulation Of Cellulase Gene Expression In The Filamentous Fungus Trichoderma Reesei
,	Jeenes et al., Biotechnol. Genet. Eng. Rev. 9:327 -369, 1991. Heterologous Protein Production By Filamentous Fungi.
	Kawaguchi, T et al., Gene 173(2):287-8, 1996. Cloning And Sequencing Of The cDNA Encoding B-Glucosidase 1 From Aspergillus Aculeatus.
	Kelley et al. EMBO J. 4:475-479, 1985. Transformation Of Aspergillus Niger By The amdS Gene Of Aspergillus Nidulans
	Knowles, J. et al., TIBTECH 5, 255-261, 1987. Cellulase Families And Their Genes.
	Krishna, S. et al., Bioresource Tech. 77:193-196, 2001. Simultaneous Saccharification and Fermentation Of Lignocellulosic Wastes To Ethanol Using A Thermotolerant Yeast
	Kuhls K. et al., Proc. Natl. Acad. Sci. USA 93(15): 7755 - 7760, 1996. Molecular Evidence That The Asexual Industrial Fungus Trichoderma Reesei Is A Clonal Derivative Of the Ascomycete
	Kumar, A., et al., Textile Chemist and Colorist 29:37-42, 1997. Optimizing The Use Of Cellulase Enzymes In Finishing Cellulosic Fabrics.
	Lorito, Hayes, DiPietro and Harman (1993) Curr. Genet. 24: 349-356; Biolistic transformation of Trichoderma harizanum and Gliocladium virens using plasmid and genomic DNA
	Medve, J. et al., J. Chromatography A 808:153, 1998. Ion-Exchange Chromatographic Purification And Quantitative Analysis Of Trichoderma Reesei Cellulase Cellibiohydrolase
	Mitsuishi et al., FEBS (1990) 275:135-138. Site Directed Mutagenesis Of The Putative Catalytic Residues Of Trichoderma Reesei Cellobiohydrolase
	Mohagheghi, A. et al., Int. J. Syst. Bacteriol. 36:435 - 443, 1986. Isolation and Characterization of Acidothermus cellulyticus gen. nov., sp.nov. a New Genus Of Thermophilic, Acidophilic Cellulolytic Bacteria.
	Needleman & Wunsch, J. Mol. Biol. 48:443 (1970). A General Method Applicable To The Search For Similarities In The Amino Acid Sequence Of Two Proteins
	Nidetzky and Claeyssens Biotech. Bioeng. (1994) 44:961-966. Specific Quantification of Trichoderma reesei Cellulases in Reconstituted Mixtures and its Application to Cellulase-Cellulose Binding Studies.
	Nieves et al., Appl. Biochem. and Biotechnol. 51/52 211 - 223, 1995. Quantitation of Acidothermus cellulyticus E1 Endoglucanase and Thermomonspora fusca E3 Exoglucanase Using Enzyme-Linked Immunosorbent Assay (ELISA).
	Nunberg et al. Mol. Cell Biol. 4:2306-2315 1984. <i>Molecular Cloning And Characterization Of the Glucoamylase Gene Of Aspergillus Awamori.</i>
	Ohmiya et al., Biotechnol. Gen. Engineer. Rev. 14:365-414, 1997. Structure Of Cellulase And Their Applications.
	Okada, M. et al., Appl. Environ. Microbiol., 64:555-563, 1988. Molecular Characterization and Heterologous Expression Of Gene Encoding A Low-Molecular-Mass Endoglucanase From Trichoderma Reesei QM914.
	Ooi et al., Nucleic Acid Res. 18:5884, 1990. Complete nucleotide sequence of a gene coding for

Attorney Docket No.: GC832-US	Serial No.: 10/590,956
Applicant: Bower, et al.	
Filing Date: March 25, 2005	Group:
Page <u>4</u> of <u>5</u>	Date of this Submission: June 18, 2007

	Aspergillus aculeatus cellulase (FI-CMCase)
	Pearson & Lipman, <i>Proc. Nat'l Acad. Sci. USA</i> 85:2444 (1988). <i>Improved Tools For Biological Sequence Comparison</i>
	Penttila et al., Gene 45:253-263, 1986. Homology between cellulase genes of Trichoderma reesei: complete nucleotide sequence of the endoglucanase I gene.
	Penttila et al., Gene 61: 155 – 164, 1987. A Versatile Transformation System For The Cellulolytic Filamentous Fungus Trichoderma Reesei
·	Penttila et al., Gene 63: 103-112, 1988. Efficient Secretion of Two Fungal Cellobiohydrolases by Sccharomyces Cerevisiae.
	Pere, J., et al., In Proc. Tappi Pulping Conf., Nashville, TN, 27-31, pp. 693-696, 1996.
**	Pourquie, J. et al., BIOCHEMISTRY AND GENETICS OF CELLULOSE DEGRADATION, eds.
	Saarilahti et al., Gene 90:9-14, 1990. CelS: a novel endoglucanase identified from Erwina carotovora subsp. Carotovora.
	Sakamoto et al., Curr. Genet. 27:435-439, 1995. Cloning and sequencing of cellulase cDNA from Aspergillus kawachii and its expression in Saccharomyces cerevisiae.
	Saloheimo M, et al., Gene 63:11-22, 1988. EGIII, a new endoglucanase from Trichoderma reesei: the characterization of both gene and enzyme.
	Saloheimo, A. et al., Molecular Microbiology, 13:219-228, 1994. A Novel, Small Endoglucanase Gene, egl5 From Trichoderma Reesei Isolated By Expression In Yeast.
	Saloheimo, M. et al., Eur. J. Biochem., 249:584-591, 1997. cDNA Cloning Of A Trichoderma Reesei Cellulase And Demonstration Of Endoglucanase Activity By Expression In Yeast.
	Schulein, Methods Enzymol., 160, 25, pages 234 et seq, 1988. Cellulases of Trichoderma Reesei
	Scopes, Methods Enzymol. 90: 479-91, 1982. Purification of All Glycolytic Enzymes From One Muscle Extract.
	Sheir-Neiss, et al., Appl. Microbiol. Biotechnol. 20:46-53 (1984). Characterization of the secreted cellulases of Trichoderma reesei wild type and mutants during controlled fermentations.
·	Shoemaker et al., Biochem. Biophys. Acat. 523:133-146:1978. Enzymic Activities Of Endo-1,4-B-D-Glucanases Purified From Trichoderma Viride
	Shoemaker, S. et al., Bio/Technology, 1:691-696, 1983. <i>Molecular Cloning Of Exo- Cellobiohydrolase 1 Derived From Trichoderma Reesei Strain 1.27</i>
	Smith P. K. et al., Biochem. 150:76-85, 1985. Measurement Of Protein Using Bicinchonic Acid
	Srisodsuk et al., J. Biotech. (1997) 57:49-57
	Srisodsuk, M. et al. J. Biol. Chem. 268(28): 20756 - 20761, 1993. Role Of The Interdomain Linker Peptide Of Trichoderma Reesei Cellobiohydrolase I In Its Interaction With Crystalline Cellulose.
**	Strathern <i>et al.</i> , eds. (1981) The Molecular Biology of the Yeast Saccharomyces, Cold Spring Harbor Press, Plainview. N.Y.
	Suurnakki, A. et al., Cellulose 7:189-209, 2000. Trichoderma reesei Cellulases and their core domanis in the Hydrolysis and modification of chemical pulp.
	Teeri, T. et al., Gene, 51:43-52, 1987. Homologous Domains In Trichoderma Reesei Cellulolytic Enzymes: Gene Sequence and Expression of Cellobiohydrolase II
	Tomaz and Queiroz, J. Chromatography A 865:123-128, 1999. Studies on The Chromatographic Fractionation Of Trichoderma Reesei Cellulase By Hydrophobic Interaction.

Attorney Docket No.: GC832-US Serial No.: 10/590,956	
Applicant: Bower, et al.	
Filing Date: March 25, 2005	Group:
Page <u>5</u> of <u>5</u>	Date of this Submission: June 18, 2007

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. PTO-1449		
,	Van Tilbeurgh, H. et al., FEBS Lett. 204:223-227, 1986. Limited proteolysis of the cellobiohydrolase I from Trichoderma reesei Ward, M, et al., (1993), Appl. Microbiol. Biotechnol. 39:738-743. Use of Aspergillus overproducing mutants, cured for integrated plasmid, to overproduce heterologous proteins. Wood et al., METHODS IN ENZYMOLOGY, 160, 25, p. 87 et seq Wood, Biochem. Soc. Trans., 13, pp. 407-410, 1985 Yelton, Hamer and Timberlake (1984) Proc. Natl. Acad. Sci. USA 81: 1470-1474; Transformation of Aspergillus Nidulans By Using a trpC plasmid. Zhang, S. et al., Biochem. 34:3386 - 3395, 1995. Characterization of a Thermomonospora fusca Exocellulase.	
	Van Tilbeurgh et al., FEBS Lett. 1 a new affinity chromatography me	169:215, 1984. Separation of endo-and exo-type cellulose using ethod.
	Tomme, P. et al., Eur. J. Biochem Trichoderma Reesei QM 9414.	n. 170:575-581, 1988. Studies Of the Cellulolytic System Of